



## RIGEL 1090 S3L FO WPA SR TECHNICAL DATASHEET

Certification: ISO 20345:2022

Category: S3L FO SRC WPA

Toecap: Composite toecap (200 Joule)

Upper: 2.0 mm abrasion and water

resistance BINAR® microfibre. Lining: 100% breathable 3D Air

Insole: R-Flow® insole

Anti Perforation: K18 kevlar midsole (1100N)

Outsole: PU/PU dual density, reflective, SRC

**Available Sizes: 35-48 (EU)** 



























PU/PU Dual Density Reflective Outsole

High Abrasion Resistance – Ensures long-lasting durability.

√Shock-Absorbing & Comfortable - Offers all-day comfort.

Lightweight & Flexible - Reduces foot fatigue.

Chemical & Oil Resistance – Ideal for tough working

✓ Superior Slip Resistance – Designed to meet SRC standards



✓ Its open-cell structure provides air circulation inside the shoe, therefore it keeps feet

 $\checkmark$  It absorbs the sweat produced by the foot. The sweat then gets released by POLIYOU®

or vapor.
✓ Contains activated-carbon and biocides. Therefore it prevents foot odor and development of bacteria.

✓ Produced from %80 recycled material. It enviromental friendly product.
 ✓ It absorbs the impact that happens during walking or exercising, and

prevents back pain and joint injuries.

✓ It creates comfort by its excellent suspension.
✓ Covered with Hygienic fabric, washable and lightweight.



- Lightweight & Comfortable Lighter than steel toe caps.
- Non-Magnetic & Airport Friendly Ideal for airport and electronics industry workers.
- Non-Conductive Material Safe for electrical work environments.
- Provides Heat & Cold Insulation Protects feet in extreme temperatures.



Our shoes feature Tessiltoschi K18™ series Kevlar midsoles, providing a lightweight, flexible, and highly puncture-resistant alternative to steel midsoles.

- High Puncture Resistance Meets EN ISO 20345 standards.
- ✓Lightweight & Flexible More comfortable than steel midsoles.
- ✓ESD Compatible Provides electrostatic discharge protection.
- Comfort & Ergonomics Ensures all-day comfort.